Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical wate treatmnet facility (CBWTF)]

a:			
Sl No.	Particulars	:	
1.	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or : operator of facility)	:	NAV RATAN JAIN
	(ii) Name of HCF or CBMWTF	:	MEDICARE CLINIC (P) LTD.
	(iii) Address of Correspondence	:	C/O, KULAI BPHC OF PANCHALA,HOWRAH-711312
	(iv) Address of Facility	:	-do-
	(v) Tel. No.,Fax. No	:	-do-
	(vi) Email ID	:	medicareclinic@hotmail.com
	(vii) URL of Website	:	medicareclinichowrah.net
	(viii) GPS Co-ordinate of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Under PPP Scheme
	(x) Status of Authorization under the Biomedical waste (Management and Handling) Rules	:	Authorization No.: D009866 One Time Valid upto:
	(xi) Status of Consents under Water Act and Air Act	:	Valid upto: C00112359 31-01-2023
2.	Type of Health Care Facility	:	PATHOLOGY LABORATORY UNDER PPP SCHEME
	(i) Bedded Hospital	:	No. of Beds: X
	(ii) Non-Bedded Hospital (Clinic Labortory of Research Institute or Veterinary Hospital or any other)	:	CLINICAL LABORATORY
	(iii) License number and its date of expiry	:	CE LIC No. 34115246 valid upto 14-01-2022
3	Detail of CBMWTF	:	NA
	(i) No. of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	NA
	(iii) INstalled treatment and disposal capacity of CBMWTF	:	Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 13 Kg / month Red Category: 6 Kg / month White Category: 2 Kg / month Blue Category: 1 Kg / month General solid waste::
5	Detail of the Storage, Treatment, Transportation, Processing and Disposal FAcility	:	
	(i)Detail of On-site storage	:	Size: 10' X 10'
*			,

	Facility		<u>Capacity: 72 hours storage</u>Provision of on-site storage:(Cold storage any other provision)			
		: N.A.	equipment Units Kg	g/day	Quantity Treatedor disposed in kg per ann	
	(ii) Disposal facility		Incinerators Plasma Pyrolysis			
			Autoclave Microwave			
			Hydroclave			
			Shredder			
			Needle tip			
			cutter or			
			destroyer			
			Sharps			
			Encapsulation			
			or concrete pit			
			Deep burial pits			
			Chemical			
			disinfection			
			Any other			
			treatment			
			equipment			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	: N.A.	Red Category (like plastic, glass,		ss, etc.)	
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:				
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated		Vhere isposed	
		:	Incineration			
			Ash			
			ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	MEDICARE ENVIRONMENTAL MANAGE PVT. LTD. "F" ROAD, BELGAHIA, HOWRAH,PIN 711101			
	(vii) List of member HCF not handed over biomedical waste	:	N.A.			
6	Do ou have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	N.A.			

	Details training conducted on BMW	:	
	(i) No. of trainings conducted on BMW Management	:	2 No. in a year
	(ii) Number of personnel trained	:	4 Person
	(iii) Number of personnel trained at the time of induction	:	NIL
	(iv) Number of personnel not undergone any training so far	:	NIL
	(v) Whether standard manual for training is available	:	Yes
8	Details of the accident occurred during the year	:	NIL
	(i) Number of Accident occurred	:	NIL
	(ii) Number of person affected	:	NIL
	(iii) Remedial Action taken (Please attach details if any)	:	NIL
	(iv) Any fatality occurred, details	:	NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last yaer could not met the standards?	:	N.A.
	Details of Continuous online emission monitoring systems installed	:	N.A.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Planning for STP.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many time you have not met the standards in a year?	:	
12	Any other relevant information	:	(Air Pollution Contro Devices attached with the incinerator)

Certifies that the above report is for the period from <u>01-01-2020 to 31-12-2020</u>

Date: 24-06-2021 Place: Howrah For MEDICARE CLINIC (P) LTD.

Director

Name and Signature of the Head of the Institution